IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Accompanying Continuation Application Under
37 CFR 1.53(b):

Prior Application: T. TOMARU et al

Serial No. 09/503,739 Filed: February 15, 2000

Group Art Unit:

2877

Examiner:

Delma R. Flores Ruiz

For:

SOLID-STATE LASER COMPENSATED FOR

PUMPING-LIGHT ASTIGMATISM

PRELIMINARY AMENDMENT

Commissioner of Patents Washington, D.C. 20231

February 28, 2002

Sir:

Prior to examination, please amend the above application as follows.

IN THE SPECIFICATION

Page 1, before the first line, add the paragraph:

This is a continuation application of U.S. Serial No. 09/503,739, filed February 15, 2000, now allowed.

IN THE CLAIMS

Cancel claims 1-16 without prejudice or disclaimer, and add new claims 17-25 as follows.

- 17. (New) A solid-state laser comprising:
- a light source;

a first concave mirror which passes selectively output light generated by said light source according to a wavelength;

a gain crystal having a garnet crystal structure, which is pumped up by the light that has passed said first concave mirror;

a cavity having said gain crystal as a main element thereof; and

a lens which is tilted from a line of transmitted direction of the pump light in order that laser operation in said cavity is Kerr-lens mode locked.

18. (New) A solid-state laser according to claim 17, said cavity further comprising:

second and third concave mirrors which are arranged to focus the light oscillated in said cavity in said gain crystal;

an end mirror which reflects the light oscillated in said cavity; and

an output mirror which passes a part of the light oscillated in said cavity as output laser light.

- 19. (New) A solid-state laser according to claim 17, said cavity further comprising:
- a means for compensating for a dispersion which is generated in said gain crystal.

20. (New) A solid-state laser according to claim 19, said cavity comprising:

second and third concave mirrors which are arranged to focus the light oscillated in said cavity in said gain crystal;

a means for compensating for a dispersion which is generated in said gain crystal;

an end mirror which reflects the light oscillated in said cavity; and

an output mirror which passes a part of the light oscillated in said cavity as output laser light.

- 21. (New) A solid-state laser according to claim 20, wherein said compensating means is a pair of prisms.
- 22. (New) A solid-state laser according to claim 19, said cavity further comprising:

a second concave mirror which is arranged to focus the light oscillated in said cavity in said gain crystal; and

- a prism for compensating for a dispersion which is generated in said gain crystal.
- 23. (New) A solid-state laser according to claim 17, said cavity comprising:

second and third concave mirrors which are arranged to focus the light oscillated in said cavity in said gain crystal;

a means for compensating for a dispersion which is generated in said gain crystal; and

an output mirror which passes a part of the light oscillated in said cavity as output laser light.

- 24. (New) A solid-state laser according to claim 23, wherein said compensating means is a prism.
- 25. (New) A solid-state laser according to claim 23, wherein said compensating means is a combination of a prism and said second and third concave mirrors.

REMARKS

Examination is requested.

Respectfully submitted,

Registration No. 32,846 Attorney for Applicants

Stange

MATTINGLY, STANGER & MALUR 1800 Diagonal Rd., Suite 370 Alexandria, Virginia 22314 (703) 684-1120

Date: February 28, 2002